

Literatur

1. Diemer W, Burchert H. Chronische Schmerzen – Kopf- und Rückenschmerzen, Tumorschmerzen. Gesundheitsberichterstattung des Bundes Heft 7 2002
2. Kendrick D, Fielding K, Bentley E, Kerslake R, Miller P, Pringle M. Radiography of the lumbar spine in primary care patients with low back pain: randomised controlled trial. *BMJ* 2001; 322:400-405
3. Watson PJ, Main CJ, Waddell G, Gales TF, Purcell-Jones G. Medically certified work loss, recurrence and costs of wage compensation for back pain: A follow up study of the working population of Jersey. *British Journal of Rheumatology* 1998;37:82-86
4. Juniper M, Le TK, Mladi D. The epidemiology, economic burden and pharmacological treatment of chronic low back pain in France, Germany, Italy, Spain and the UK: a literature-based review. *Expert opinion on pharmacotherapy* 2009;10(A6): 2581-2592
5. Andersson GB. Epidemiological features of chronic low back pain. *Lancet* 1999;91(78):581-585
6. Wenig CM, Schmidt CO, Kohlmann T, Schweikert B. Costs of back pain in Germany. *European Journal of Pain* 2009;13:280-286
7. <http://www.gbe-bund.de/>
8. Watson PJ, Main CJ, Waddell G, Gales TF, Purcell-Jones G. Medically certified work loss, recurrence and cost of wage compensation for back pain: A follow-up study of the working population of Jersey. *British Journal of Rheumatology* 1998;37:82-86
9. www.gkv-his.de
10. Fritzell P, Hägg O, Jonsson D, Nordwall A, et al. Cost-effectiveness of lumbar fusion and nonsurgical treatment for chronic low back pain in the Swedish lumbar spine study: A multicenter, randomized, controlled trial from Swedish lumbar spine study group. *Spine* 2004;29(4):421-434
11. Nagel B., Korb J. Multimodale Schmerztherapie des Rückenschmerzes. Nachhaltig wirksam und kosteneffektiv. *Orthopäde* 2009;38:907-912
12. van den Hoogen HJ, Koes BW, van Eijk JT et al. On the course of low back pain in general practice: one year follow up study. *Ann Rheum Dis* 1998;57:13-19
13. McGuirk B, King W, Govind J et al. Safety, efficacy and cost effectiveness of evidence based guidelines for the management of acute low back pain in primary care. *Spine* 2001;26:2615-2622
14. Niemier K, Seidel W. Funktionelle Schmerztherapie des Bewegungssystems. Springer 2009

15. Hampton JR. Relative contribution of history taking, physical examination and laboratory investigation to diagnosis and management of medical patients. *BMJ* 1975;2:486-489
16. Peterson MC, Holbrook JH, von Hales D. Contributions of the history, physical examination and laboratory investigations in making medical diagnoses. *West J Med* 1992;156(2):163-165
17. Deyo R, Mirza S, Turner Y. Overtreating chronic back pain: time to back off? *J Am Board Fam Med* 2009;22(1):62-68
18. Scavone JC, Latshaw RF, Rohrar GV. Use of lumbar spine films: statistical evaluation at a teaching hospital. *JAMA* 1981;246:1105-1108
19. Simmons ED, Guyer RG, Graham-Smith A, et al. Radiograph assessment for patients with low back pain. *Spine J* 2003;3:S3-S5
20. Chou R, Fu R, Carrino J, et al. Imaging strategies for low back pain: systematic review and metaanalysis: *Lancet* 2009;373:463-472
21. Jarvic JG, Hollingworth W, Martin B, et al. Rapid Magnetic resonance imaging vs. radiographs for patients with low back pain. *JAMA* 2003;289:2810-2818
22. Modic MT, Obuchowski NA, Ross JS, et al. Acute low back pain and radiculopathy: MR imaging findings and their prognostic role and effect on outcome. *Radiology* 2005;237:597-604
23. Wiesel SW, Tsourmas N, Feffler HL, et al. A study of computer assisted tomography. The incidence of positive cat scans in an asymptomatic group of patients. *Spine* 1984;9:549-551
24. Boden SD, McCowin PR, Davis DO, et al. Abnormal magnetic-resonance scans of the cervical spine in asymptomatic subjects. A prospective investigation. *J Bone Joint Surg Am* 1990;72(8):1178-1184
25. Maus T. Imagin the back pain patient. *Phys Med Rehabil Clin N Am* 2010;21:725-766
26. Jarvic JJ, Hollingworth W, Heagerty P, et al. The longitudinal assessment of imaging and disability of the back (LAID Back) study. *Spine* 2001;26(10):1158-1166
27. Niemier K, Seidel W, Pioch E, Werin A. Sommerfeld Assessment System: Introduction and evaluation of a multiprofessional assessment system for the differential diagnosis of chronic musculoskeletal pain syndromes. *JOM* 2003;25:21-26
28. El-Metwally A, Salminen JJ, Auvinen A, Kautiainen H, Mikkelsen M. Prognosis of non-specific musculoskeletal pain in preadolescents: a prospective 4-year follow-up study till adolescence. *Pain*. 2004 Aug;110(3):550-9.
29. Radebold A, Cholewicki J, Polzhofer GK et al. Impaired postural control of the lumbar spine is associated with delayed muscle response times in patients with low back pain. *Spine* 2001;26:724-730

30. Pflingsten M, Franz C, Hildebrandt J, Sauer P, Seeger D. Das Göttinger Rücken Intensiv Programm (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 3. Psychosoziale Aspekte. Schmerz 1996;10:326-344
31. <http://www.versorgungsleitlinien.de/themen/kreuzschmerz>
32. Niemier K, Ritz W, Amelung P, Seidel W. Evaluierung der funktionellen muskuloskeletalen Diagnostik als Bestandteil eines multiprofessionellen Diagnostiksystems für Patienten mit chronischen und chronifizierungsgefährdeten Schmerzen des Bewegungssystems. Manuelle Medizin 2007;45:123-127
33. Fullen BM, Doody C, David Baxter G, Daly LE, Hurley DA. Chronic low back pain: non-clinical factors impacting on management by Irish doctors. Ir. J. Med. Sci. 2008;177:257-263
34. Fullen BM, David Baxter G, O`Donnovan BGG, Doody C, Daly LE, Hurley DA. Doctors attitudes and beliefs regarding acute low back pain management: A systematic review. Pain2008; 136:388396.
35. Lang E, Eisele R, Kastner S, Liebig K, Martus P, Neundörfer B. Ergebnisqualität der ambulanten Versorgung von Patienten mit chronischen Rückenschmerzen. Schmerz 2000;14:146-159
36. Hüppe A, Raspe H Die Wirksamkeit von stationärer medizinischer Rehabilitation in Deutschland bei chronischen Rückenschmerzen: eine systematische Literaturübersicht 1980-2001. Rehabilitation 2003;42:143-154
37. Hüppe A, Raspe H. Efficacy of inpatient rehabilitation for chronic low back pain in Germany: update of a systemic review. Rehabilitation 2005;44(1):24-33
38. Merkesdal S, Mau W. Prediction of cost-of-illness in patients with low back pain undergoing orthopaedic outpatient rehabilitation. International journal of rehabilitation research. 2005;28(2):119126
39. Cherkin CC, Deyo RA, Loeser JD, Bush T, Waddel G. An international comparison of back surgery rates. Spine 1994; 19(11):1201-1206
40. Lurie JD, Birkmeyer NJ, Weinstein JN. Rates of advanced spinal imaging and spine surgery. Spine 2003;28:616-620
41. Fritzell PF, Hägg OH, Wessberg P et al. Lumbar Fusion vs. Nonsurgical Treatment for low back pain. A multicenter randomized controlled trial from the Swedish lumbar spine study. Volvo award in clinical studies. Spine 2001;26:2521-2532
42. Brox JI, Sorensen R, Friis A, Nygaard O, Indahl A, Keller A, Ingebrigtsen T, Eriksen HR, Holm I, Koller AK, Riise R, Reikeras O. Randomized clinical trial of lumbar instrumented fusion and cognitive intervention and exercises in patients with chronic low back pain and disc degeneration. Spine 2003;28(17):1913-1921
43. Mirza SK, Deyo FA. Systematic review of randomized trials comparing lumbar fusion surgery to nonoperative core for treatment of chronic back pain. Spine 2007; 32(7):816-823

44. Carreon LY, Glassman SD, Howard J. Fusion and nonsurgical treatment for symptomatic degenerative disease: a systematic review of Ostwestry Disability Index and MOS short form-36 outcomes. *The Spine Journal* 2008; 8:747-755
45. Nguyen TH, Randolph DC, Talmage J, Succop, P, Russel T. Long-term outcomes of lumbar fusion among workers compensation subjects. *Spine* 2011;36(4):320-331
46. Rivero-Arias O, Campbell H, Gray A, Fairbank J, Frost H, Wilsom MacDonald J. Surgical stabilisation of the spine compared with a programme of intensive rehabilitation for the management of patients with chronic low back pain: cost utility analysis based on a randomized controlled trial. *BMJ*, doi:10.1136/bmj.38441.429618.BF (2005)
47. Atlas SJ, Keller RB, Chang YC, Deyo RA, Singer DE. Surgical and nonsurgical management of sciatica secondary to lumbar disc herniation: Five Years outcome from the main lumbar spine study. *Spine* 2001;26(10):1179-1187
48. Atlas SJ, Keller RB, Chang YC, Deyo RA, Singer DE. Long term outcomes of surgical and nonsurgical management of sciatica secondary to lumbar disc herniation: 10 Years results from the main lumbar spine study. *Spine* 2005;30(8):927-935
49. Weber H. Lumbar disk herniation. A controlled, prospective study with ten years of observation. *Spine* 1983; 8(2):131-140
50. Atlas SJ, Keller RB, Wu YA, Deyo RA, Singer DE. Long term outcomes of surgical and nonsurgical management of lumbar stenosis: 8 to 10 Years results from the main lumbar spine study. *Spine* 2005;30(8):936-9943
51. Dimova V., Lautenbacher S. Chronischer Schmerz nach Operationen. Epidemiologie unter besonderer Berücksichtigung psychologischer Risikofaktoren. *Anästhesiol Intensivmed Notfallmed Schmerzther* 2010;45:488-493
52. Chou R, Huffman LH. Medication for acute and chronic low back pain: A review of the evidence for an american pain society/american college of physicians clinical practice guideline. *Ann Intern Med*. 2007;147:505-514
53. Roelofs PDD, Deyo RA, Koes BW, Scholten RJP, van Tulder MW. Nonsteroidal anti-inflammatory drugs for low back pain. *Spine* 2008;33(16):1766-1774
54. Hildebrand J. Relevance of nerve blocks in treating and diagnosing low back pain – is the quality decisive? *Schmerz* 2001;15(6):474-483
55. Staal JB, de Bie RA, de Vet HCW, Hildebrandt J, Nelemans P. Injection therapy for subacute and chronic low back pain. *Spine* 2008;34(1):49-59
56. Slipman CW, Bhat AL, Gilchrist RV, Issac Z, Chou L, Lenrow DA. A critical review of the evidence for the use of zygapophysial injections and radiofrequency denervations in the treatment of low back pain. *The Spine J* 2003;3:310-316

57. Henschke N, Kuijpers T, Rubinstein SM, van Middelkoop M, Ostelo R, Verhagen A, Koes BW, van Tulder MW. Injection therapy and denervation procedures for chronic low-back pain: a systematic review. *Eur. Spine J* 2010;19:1425-1449
58. Kim WM, Lee HG, Jeong CW, Kim CM, Yoon MH. A randomized controlled trial of intra-articular prolotherapy versus steroid injection for sacroiliac joint pain. *The Journal of alternative and complementary Medicine* 2010;16(12):1285-1290
59. Gofeld M, Jiterenda J, Faclier G. Radiofrequency denervation of the lumbar zygapophysial joints: 10 Year prospective clinical audit. *Pain Physician* 2007;10:291-299
60. Wetzel FTR, McNally TA, Phillips FM. Intradiscal electrothermal therapy used to manage chronic discogenic low back pain. *New directions and interventions. Spine* 2002;27(22):2621-2626
61. Webster BS, Verma S, Pransky GS. Outcomes of workers compensation claimants with low back pain undergoing intradiscal electrothermal therapy. *Spine* 2004;29(4):435-441
62. Chao SC, Lee HT, Kao TH, Yang MY, Tsuei YS, Shen CC, Tsou HK. Percutaneous pulsed radiofrequency in the treatment of cervical and lumbar radicular pain. *Surgical Neurology* 2008;70:59-65
63. Kemler MA, Barendse GA, van Kleef M, et al. Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. *N Engl J Med* 2000;343:618-624
64. North RB, Kidd DH, Farrhoki F et al. Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized controlled trial. *Neurosurgery* 2005;56:98-106
65. Kumar K, Taylor RS, Jacques L et al. Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicenter randomised controlled trial in patients with failed back surgery syndrome. *Pain* 2007;132:179-188
66. Bala MM, Riemsma RP, Nixon J, Kleijnen J. Systematic review of the (cost-)effectiveness of spinal cord stimulation for people with failed back surgery syndrome. *Clin J Pain*;24(9)741-756
67. Deer T, Chapple I, Classen A et al. Intrathecal drug delivery for the treatment of chronic low back pain: report from the national outcome registry for low back pain. *Pain Med.* 2004;5:6-13
68. Doleys DM, Brown JL, Ness T. Multidimensional outcome analysis of intrathecal, oral opioid and behavioural-functional restoration therapy for failed back surgery syndrome: a retrospective study with four years follow-up. *Neuromodulation* 2006;9:270-283
69. Saur P, Hildebrandt J, Pflingsten M, Seeger D, Steinmetz U, Straub A, Hahn J, Kasi B, Heinemann R, Koch D. . Das Göttinger Rücken Intensiv Programm (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 2. Somatische Aspekte.
70. Niemier K, Amelung P, Satorie S, Ritz W, Seidel W. Kardio-pulmonale Dekonditionierung von Patienten mit chronischen Schmerzen des Bewegungssystems. Welcher Test ist für die Diagnostik und Therapieplanung geeignet. *Phys Med Rehab Kuror* 2007;17:209-214

71. Hodges PW, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of the transverse abdominis. *Spine* 1996;21(22): 2640-2650
72. Niemier K, Ritz W, Seidel W. Der Einfluss muskuloskeletaler Funktionsstörungen auf chronische Schmerzsyndrome des Bewegungssystems. *Schmerz* 2007;21(2):139-145
73. van Tulder M, Malmivaara A, Esmail R, Koes B. Exercise therapy for low back pain. A systematic review within the framework of the Cochrane collaboration back review group. *Spine* 2000;25(21):2784-2796.
74. Mannion AF, Müntener M, Tailela S, Dvorak J. Comparison of three active therapies for chronic low back pain: results of a randomized clinical trial with one year follow up. *Rheumatology* 2001;40:722-778
75. Ferreira PH, Ferreira ML, Maher CG, Herbert RD, Refshauge K. Specific stabilization exercise for spinal and pelvic pain. *Australian J Physiotherapy* 2006;52:79-88
76. Hildebrandt J, Pflingsten M, Franz C, Sauer P, Seeger D. . Das Göttinger Rücken Intensiv Programm (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 1. Ergebnisse im Überblick. *Schmerz* 1996;10:190-203
77. Saur P, Hildebrandt J, Pflingsten M, Seeger D, Steinmetz U, Straub A, Hahn J, Kasi B, Heinemann R, Koch D. . Das Göttinger Rücken Intensiv Programm (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 2. Somatische Aspekte. *Schmerz* 1996;10:237-253
78. Pflingsten M, Hildebrandt J, Saur P, Franz C, Seeger D. . Das Göttinger Rücken Intensiv Programm (GRIP) – ein multimodales Behandlungsprogramm für Patienten mit chronischen Rückenschmerzen, Teil 4. Prognostik und Fazit. *Schmerz* 1997;11:30-41
79. Guzman J, Esmail R, Karjalainen K, Malmivaara A, Irvin E, Bombardier C. Multidisciplinary Rehabilitation for chronic low back pain: systematic review. *BMJ* 2001;322:1511-1516
80. Kohles S, Barnes D, Gatchel RJ, Mayer TG. Improved physical performance outcomes after functional restoration treatment in patients with chronic low-back pain. *Spine* 1989;15(12):1321-1324
81. Hildebrandt J, Pflingsten M, Saur P, Jansen J. Prediction of success from a multidisciplinary treatment program for chronic low back pain. *Spine* 1997;22(9):990-1001
82. Marnitz U, Weh L, Müller G, Seidel W, Bienek K, Lindena G, Gussek A. Integrationsversorgung von Patienten mit Rückenschmerzen. Schmerzbezogene Ergebnisse und Arbeitsfähigkeit. *Schmerz* 2008;22:415-423
83. www.multimodale-schmerztherapie.de

84. Rogerson MD, Gatchel RJ, Bierner SM. A cost utility analysis of interdisciplinary early intervention versus treatment as usual for high-risk acute low back pain patients. *Pain Practice* 2010;10(5):382-395
85. Fordyce WE. Behavioral methods for chronic pain and illness: St Louis (Mosby) 1976
86. Turner JA, Jensen MP. Efficacy of cognitive therapy for chronic low back pain. *Pain* 1993;52:169-177
87. Vlaeyen JW, Haazen IW, Schuermann JA et al. Behavioural rehabilitation of chronic low Back pain: comparison of an operant treatment, operant-cognitive treatment and an operant-respondent treatment. *Br J Clin Psychol* 1995;34:95-118
88. van Tulder MW, Ostelo R, Vlaeyen JWS, Linton SJ, Morley SJ, Assendelft WJJ. Behavioural treatment for chronic low back pain. A systematic review within the framework of the Cochrane back review group. *Spine* 2000;25(20):2688-2699
89. Liccardone JC, Brimhall A, King LN. Osteopathic manipulative treatment for low back pain: a systematic review and meta-analysis of randomized controlled trials. *BMC Musculoskeletal Disorders* 2005;6:43 (doi:10.1186/147-2474-6-43)
90. Bronfort G, Haas M, Evans RL, Bouter LM. Efficacy of spinal manipulation and mobilization for low back pain and neck pain: a systematic review and best evidence synthesis. *The Spine Journal* 2004;4:335-356
91. Bronfort G, Assendelft WJJ, Evans R, Haas M, Bouter LM. Efficacy of spinal manipulation for chronic headache: A systematic review. *JMPT* 2001;24(7):457-466
92. Pioch E, Seidel W. Manuelle Medizin bei chronischen Schmerzen. Evaluation eines stationären Behandlungskonzeptes. *Schmerz* 2003;17:34-43
93. Blomberg S, Hallin G, Grann K, Berg E, Sennerby U. Manual Therapie with steroid injections – A new approach to treatment of low back pain. *Spine* 1994;19(5):569-577
94. Furlan AD, Imamura M, Dryden T, Irvin E. Massage for low back pain. An updated systematic review within the framework of the Cochrane back review group. *Spine* 2009;34(16):1669-1684
95. Heymanns MW, van Tulder MW, Esmail R, Bombardier C, Koes BW. Back schools for nonspecific low back pain. A systematic review within the framework of the Cochrane collaboration back review group. *Spine* 2005;30(19):2153-2163
96. Chou R, Huffman LH. Nonpharmacological therapies for acute and chronic low back pain: A review of the evidence for an American pain society/American College of Physicians clinical practice guideline. *Ann Intern Med* 2007;147:492-504
97. van Middelkoop M, Rubinstein SM, Kuijpers T, Verhagen AP, Ostelo R, Koes BW, van Tulder MW. A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. *Eur Spine J* 2011;20:19-39

98. Brosseau LB, Milne S, Robinson V, Marchand S, Shea B, Wells G, Tugwell P. Efficacy of the transcutaneous electrical nerve stimulation for the treatment of chronic low back pain. *Spine* 2002;27(6):596-603
99. Saper RB, Karen JS, Cullum-Dugan D, Davis RB, Phillips RS, Culpepper L. Yoga for chronic low back pain in a predominantly minority population: A pilot randomized controlled trial. *Altern Ther Health Med* 2009;15(6):18-27
100. Shermann KJ, Chercin CC, Erro J, Miglioretti DL, Deyo RA. Comparing yoga, exercise and a self-care book for chronic low back pain. A randomized, controlled trial. *Ann Intern Med* 2005;143:849-856
101. <http://ihs-classification.org/de>
102. Pfaffenrath V. Kopfschmerzen. In Zenz M, Jurna I (Hersg.) *Lehrbuch der Schmerztherapie*. MVG Stuttgart 2001:653-699
103. Heymanns MW, van Bururen S, Knol DL, Anema JR, van Mechelen W, Vet HCW. The prognosis of chronic low back pain is determined by changes in pain and disability in the initial period. *The spine Journal* 2010;10:847-856
104. Linton SJ, Andersson MA. A randomized trial of cognitive-behaviour intervention and two forms of information for patients with spinal pain. *Spine* 2000;25(21):2825-2831
105. Gatchel RJ, Bernstein D, Stowell AW, Pransky G. Psychosocial differences between high-risk acute vs. chronic low back pain patients. *Pain practice* 2008;8(2):91-97
106. <http://www.dimdi.de/static/de/klassi/prozeduren/ops301/>